


ACCESSORIES

ACC615



Metal Stud Fastener Kit - 6 Toggles

ACC925



Security Fasteners for SA745PU, SA750PU, SA760PU & SA770PU Wall Arms

EXT models



Fixed Extension Columns

ADJ models



Adjustable Extension Columns

CMJ470/480/490




Ceiling Plates
Additional ceiling plates available, visit www.peerlessmounts.com

PLP-UNL



Screen Adapter Plate
Additional screen adapter plates available, visit www.peerlessmounts.com

PLP-V4X2




Screen Adapter Plate

ACC310




Feet Accessory

RMI1



Landscape to Portrait Accessory

ACC324(-S)



Corner Mount Shelf



DIGITAL SIGNAGE COLLECTION


AUDIO/VISUAL MOUNTING SOLUTIONS FOR DIGITAL SIGNAGE



BBG Distribution Ltd
Watford, Hertfordshire,
WD24 4WP, United Kingdom
T: 01923 205 605
F: 01923 205 601
E: info@bbg.eu.com
W: www.bbg.eu.com



WALL MOUNTS



1. QUICK INSTALLATION
Screen specific spacers reduce multi-screen installation time

2. EASY SCREEN MAINTENANCE
Flat or tilt adapters enable easy removal and attachment of any screen in the in-line installation

3. CONVENIENT PERIPHERAL STORAGE
Hide peripherals and cables behind the accessory storage boxes for a clean, clutter-free installation, sold separately (pg. 7)


SP850-UNLP[S](GB)[GS] Pull-out Swivel Wall Mount



COLOR: Black, silver, high gloss black, or high gloss silver

- Integrated cable management for a clean look
- Locking tab provides optional swivel restriction to one side
- Lock Key™ installation tool secures arms for easy screen installation
- Lock-out feature prevents unwanted extension
- Includes hardware for installation to wood stud, concrete or cinder block

DS135 Menu Board Mount



COLOR: Black

- Designed to support two screens in portrait or landscape orientation
- Flat or tilt screen mounting option available
- Cable management accessory included for a clean clutter-free installation
- Optional component storage available, DS578, sold separately (pg. 7)
- More accessories may be needed depending on screen make and model

DS246 Wall Mount with Storage – Small



COLOR: Black

- Houses computer up to 1.87" x 9.44" x 19.81" (47 x 239 x 487 mm) (D x H x W)
- Designed to fit LG M2900S-BN and LG M3800S-BN stretch screens
- Ideal for stretch screens with single stud applications
- Requires PLP screen adapter plate, sold separately (pg. 8)
- Additional solutions available for multiple screen configurations
- Portrait or landscape orientation

DS508 Wall Mount with Storage – Medium



COLOR: Black

- Houses programmable graphics computers up to 3.95" x 13.3" x 14.9" (100 x 338 x 378) (D x H x W)
- Provides ventilation space to keep computer at optimal temperature
- Internal cable management hides cables for a clean, clutter-free appearance
- Requires PLP screen adapter plate, sold separately (pg. 8)




DS415 Wall Mount with Storage – Large



COLOR: Black

- Houses computers up to 3.58" x 10.82" x 14.05" (91 x 275 x 357 mm) (D x H x W)
- Mounts to wood or metal studs on 16" (406 mm) centers
- Provides two side access panels for easy maintenance
- Internal cable management hides cables for a clean, clutter-free appearance
- Requires PLP screen adapter plate, sold separately (pg. 8)

VW-4050-B Modular Wall Mount



COLOR: Black or silver

- Multiple units connect to create video walls in unlimited matrices
- Allows for ventilation to reduce heat build up
- Internal cable management hides cables for a clean, clutter-free appearance
- Screen specific spacers required, sold separately

Computer Storage Accessories page 7
Accessories page 8

	32"-58" (81-149 cm)	23"-71" (58-180 cm)	29" or 38" (73-96 cm)	38" (96 cm)	32"-52" (81-132 cm)	40"-50" (101-127 cm)
Screen size						
VESA® pattern	100, 200 x 100 mm	—	400 x 200 mm	100, 100 x 200, 200 x 100, 200 mm	100 x 100 and 200 x 100 mm <i>Additional PLP adapter plates also available</i>	400 mm <i>Additional PLP adapter plates also available</i>
Adjustable mounting pattern (D x H)	28.7" x 17" (729 x 432 mm)	29.31" H (744 mm) <i>(width varies on screen selection)</i>	—	—	—	—
Distance from the wall	3.4"-11.9" (86-302 mm)	3.3" (84 mm)	3.1" (78 mm)	4.75" (121 mm)	4.28" (109 mm) <i>(plus thickness of adapter plate)</i>	3.2" (81 mm)
Tilt swivel roll	+10° ±45° ±1°	+15°/-5°	+10°	+10°	+10°	—
Horizontal screen adjustment	3.5" (89 mm)	—	—	—	—	<i>Varies by spacer unit used</i>
Landscape to portrait	—	Yes	Yes	Yes	Yes	—
Security	—	Yes	Yes	Yes	Yes	—
Max load	150 lb (68 kg)	<i>Varies by application & number of screens</i>	50 lb (22 Kg)	200 lb (90 Kg)	150 lb (68 Kg)	200 lb (90 Kg)
UL listed	Yes	—	—	—	—	—

CORNER MOUNTS




1. MOUNTING FLEXIBILITY
Designed to accommodate single or double-stud mounting

2. EXTENSIBILITY
Upgrading to a larger TV is easy, simply extend the arms, mount the larger TV -- no need to re-mount the wall plate

3. UNIVERSAL DESIGN
Accommodates virtually all TVs with 28.75"W x 17.05"H (730 x 433 mm) mounting holes

4. ACCESSORIZING
It is quick and simple to add A/V shelving, supports up to 25 lb (11 Kg) per shelf, sold separately (pg. 8)

CEILING MOUNTS



Shown with PLCM-2, PLP Adapter Plate and Extension Column, sold separately

1. CLEAN APPEARANCE
Cover plate follows contour of the screen for a clean installation

2. CABLE MANAGEMENT
Built in cable access hole for easy cable routing

CM50(-S) Corner Mounting Accessory



COLOR: Black or silver

- Wall units expand to support compatible flat/tilt wall mounts
- Compatible with Peerless® flat/tilt wall mounts SF640, ST640, SF650, ST650, PF640, PT640, PF650, PT650 & ONE-TP
- Wall units accommodate speakers when used with smaller TVs (wall unit maybe visible with some smaller screens)
- Optional shelf available for A/V components, ACC324 (pg. 8)
- Includes hardware for installation to wood stud, concrete and cinder block

CM60(-S) Corner Mounting Accessory



COLOR: Black or silver

- Wall units expand to support compatible flat/tilt wall mounts
- Compatible with Peerless® flat/tilt wall mounts SF640, ST640, SF650, ST650, SF660, ST660, PF640, PT640, PF650, PT650, PF660, PT660 & ONE-TP
- Wall units accommodate speakers when used with smaller TVs (wall unit maybe visible with some smaller screens)
- Optional shelf available for A/V components, ACC324 (pg. 8)
- Includes hardware for installation to wood stud, concrete and cinder block

CM850(-S) Corner Mounting System



COLOR: Black or silver

- Includes SmartMount® Pull-Out Swivel Mount, SP850-UNL (pg. 6)
- Extendable arms support multiple TV sizes without having to adjust wall mount placement
- Wall units accommodate speakers when used with smaller TVs (wall unit maybe visible with some smaller screens)
- Optional shelf available for A/V components, ACC324 (pg. 8)
- Includes hardware for installation to wood stud, concrete and cinder block

CUSTOM MOUNT Retail Ceiling Mount



COLOR: Black or silver

- Return-to-Zero™ capability allows the screen to return to original position if accidentally rotated or bumped
- Designed to accommodate a variety of add-on peripherals
- Cover conceals and protects screen and peripherals
- Internal cable management hides cables for a clean, clutter-free appearance

Contact Peerless for specific application needs

DS247 29" Stretch Screen Compliance Cover



COLOR: Black

- Compatible with LG M2900S-BN stretch screen
- For use with PLP-V4X2 (pg. 8) and PLCM-2, sold separately
- Conceals unsightly cable connectors for a clean, finished look

DS248 38" Stretch Screen Compliance Cover



COLOR: Black

- Compatible with LG M3800S-BN stretch screen
- For use with PLP-V4X2 (pg. 8) and PLCM-2, sold separately
- Conceals unsightly cable connectors for a clean, finished look

PLCM-2 Flat Panel Ceiling Mount



COLOR: Black

- Base mount only. Requires appropriate extension column, screen-specific adapter and ceiling plate, sold separately (pg. 8)
- Internal cable management hides cables for a clean, clutter-free appearance

- Screen size
- Adjustable mounting pattern (W x H)
- Distance from the corner
- Tilt | swivel | roll
- IncreLock™
- Horizontal screen adjustment
- Max load
- UL tested

Screen size	32"-50" (81-127 cm)	40"-60" (101-152 cm)	32"-58" (81-147 cm)
Adjustable mounting pattern (W x H)	Compatible with SF640, ST640, SF650, ST650, PF640, PT640, PF650, PT650 & ONE-TP Refer to Peerless website for compatibility information	Compatible with SF640, ST640, SF650, ST650, SF660, ST660, PF640, PT640, PF650, PT650, PF660, PT660 & ONE-TP Refer to Peerless website for compatibility information	28.75" x 17.05" (730 x 433 mm)
Distance from the corner	22.63"-35.36" (574-898 mm)	28.28"-42.43" (718-1077 mm)	22.63"-41.01" (574-1041 mm)
Tilt swivel roll	Compatible with SF640, ST640, SF650, ST650, PF640, PT640, PF650, PT650 & ONE-TP Refer to Peerless website for compatibility information	Compatible with SF640, ST640, SF650, ST650, SF660, ST660, PF640, PT640, PF650, PT650, PF660, PT660 & ONE-TP Refer to Peerless website for compatibility information	+10° ±45° ±1°
IncreLock™	Compatible with SF640, ST640, SF650, ST650, PF640, PT640, PF650, PT650 & ONE-TP Refer to Peerless website for compatibility information	Compatible with SF640, ST640, SF650, ST650, SF660, ST660, PF640, PT640, PF650, PT650, PF660, PT660 & ONE-TP Refer to Peerless website for compatibility information	0°, 5°, 10°
Horizontal screen adjustment	Compatible with SF640, ST640, SF650, ST650, PF640, PT640, PF650, PT650 & ONE-TP Refer to Peerless website for compatibility information	Compatible with SF640, ST640, SF650, ST650, SF660, ST660, PF640, PT640, PF650, PT650, PF660, PT660 & ONE-TP Refer to Peerless website for compatibility information	3.5" (89 mm)
Max load	175 lb (79 Kg)	200 lb (90 Kg)	150 lb (68 Kg)
UL tested	Yes	Yes	Yes

- Screen size
- VESA® pattern
- Adjustable mounting pattern (W x H)
- Distance from the ceiling
- Tilt | swivel
- Landscape to portrait
- Security
- Max load
- UL listed

Screen size	42" (106 cm)	29" (73 cm)	38" (97 cm)	32"-71" (81-180 cm)
VESA® pattern	—	400 X 200 mm With PLP-V4X2 (sold separately) Additional PLP screen adapter plates also available	400 X 200 mm With PLP-V4X2 (sold separately) Additional PLP screen adapter plates also available	Based on desired PLP screen adapter (sold separately)
Adjustable mounting pattern (W x H)	—	—	—	Based on desired PLP screen adapter (sold separately)
Distance from the ceiling	Based on desired extension column length (sold separately)	Based on desired extension column length (sold separately)	Based on desired extension column length (sold separately)	Based on desired extension column length (sold separately)
Tilt swivel	+7°	+15° 360° With PLCM-2 (sold separately)	+15° 360° With PLCM-2 (sold separately)	+20° 360°
Landscape to portrait	—	Yes With PLCM-2 (sold separately)	Yes With PLCM-2 (sold separately)	Yes
Security	Yes	Yes	Yes	Yes
Max load	150 lb (68 Kg)	50 lb (22 Kg)	50 lb (22 Kg)	225 lb (102 Kg)
UL listed	Yes	—	—	Yes

CARTS AND STANDS



1. NO WALL, NO PROBLEM!
Complementing the décor of any environment, this stand is the ideal addition, when mounting to a wall is not an option

2. CLEAN APPEARANCE
Cables are easily routed from screen to base of the stand for a clean installation

3. TAMPER-PROOF BASE
Keep devices and content devices safely hidden from sight

4. SUBTLE STRENGTH
Attractive base supports up to 400 lb (181 Kg)

DS039 Sharp 108" Stand/Cart



COLOR: Black

- Quickly converts to stand with Peerless accessory ACC310 (pg. 8), prior to mounting screen
- 360° swivel ball-bearing casters assist with ease of carts mobility
- Steel tubular frame provides strength and durability
- Internal cable management hides cables for a clean, clutter-free appearance
- Also available for XL screen sizes

FPZ670 Flat Panel Stand



COLOR: Black

- Base cover is designed to conceal content drivers and surge protectors
- Vertical adjustment on 6' columns for ideal screen viewing height
- Hook-on design allows screen to rest in place to avoid disengage while securing screws for ease of installation
- Internal cable management to easily route cables from screen to base of stand 24"W x 16"D



Accessories page 8

GONDOLA MOUNT



1. VERSATILE COMPATIBILITY
Adjustable telescoping arm and side supports adapt to various store fixtures and product placements

2. CLEAN APPEARANCE
Cable management allows cables to be routed through the arm for a clean installation

3. TAMPER-PROOF COVER
Assures device and screen safety

DS-GM-15PL-BE78 Gondola Mount



COLOR: Available in any specified color

- Arm adjusts to varying shelf depths
- Holds flat panel screen at eye level while providing space for traditional printed signage
- Enclosure houses routers, graphics drivers, and receivers (not shown)
- Internal cable management hides cables for a clean, clutter-free appearance

Contact Peerless with specific application needs


Accessories page 8

- Screen size
- Max load
- UL listed

15" (38 mm) Custom Planar Screen
25 lb (11 Kg)
Yes

COMPUTER STORAGE ACCESSORIES

DS334 Plasma Computer Mounting Bracket



COLOR: Black

- Houses computers up to 5.7" x 16.75" x 19" (D x H x W) (145 x 425 x 483 mm)
- For use with ST/SF SmartMount line, sold separately

DS416 Plasma/LCD Computer Mounting Bracket



COLOR: Black

- Houses computers up to 2.89" x 6.25" x 6.56" (D x H x W) (73 x 159 x 167 mm)
- For use with ST/SF SmartMount line, sold separately

DS495 Custom Mac Mini Holder



COLOR: Black

- Houses Mac mini computer
- For use with PLCM-2, sold separately

DS578 Accessory Storage



COLOR: Black

- Houses Enseo HD200 computer
- For use with ST/SF SmartMount line, sold separately (Not for use with SF640 model)

- Screen size
- VESA® pattern
- Vertical screen adjustment
- Landscape to portrait
- Security
- Max load
- UL listed

Screen size	108" (274 cm) Sharp	50"-71" (127-180 cm)
VESA® pattern	—	200 x 200 mm <i>Additional PLP screen adapter plates also available</i>
Vertical screen adjustment	—	6' (1829 mm)
Landscape to portrait	—	Yes
Security	—	Yes
Max load	600 lb (272 Kg)	400 lb (181 Kg) / 200 lb (90 Kg) per screen
UL listed	—	Yes